



SWMS 017 - Installation of Communications Cabling (Copper & Fibre)

ALL PERSONS INVOLVED IN THE TASK MUST HAVE THIS SWMS COMMUNICATED TO THEM PRIOR TO WORKS COMMENCING.

An effective Risk Assessment should identify the relevant criteria listed below

- | | |
|---|---|
| <input type="checkbox"/> Work involving a risk of a person falling more than 2 metres.
<input type="checkbox"/> Work carried out on a telecommunication tower.
<input type="checkbox"/> Work involving demolition of an element of a structure that is loadbearing
<input type="checkbox"/> Work around Asbestos Containing Material (ACM)
<input type="checkbox"/> Work involving structural alterations or repairs requiring temporary support to prevent collapse
<input type="checkbox"/> Work carried out in or near a confined space
<input type="checkbox"/> Work carried out in or near a shaft or trench with an excavated depth greater than 1.5 metres or is carried out in or near a tunnel
<input type="checkbox"/> Work involving the use of explosives
<input type="checkbox"/> Working near or on Energised electrical installations or services
<input type="checkbox"/> Working near or on Chemical, fuel or refrigerant lines | <input type="checkbox"/> Working near or on Pressurised gas distribution mains or piping
<input type="checkbox"/> Work carried out in an area that may have a contaminated or flammable atmosphere
<input type="checkbox"/> Work involving tilt-up or precast concrete
<input type="checkbox"/> Work carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor that is in use by traffic other than pedestrians
<input type="checkbox"/> Work carried out in an area at a workplace in which there is any movement of powered mobile plant
<input type="checkbox"/> Work carried out in an area in which there are artificial extremes of temperature
<input type="checkbox"/> Work carried out in or near water or other liquid that involves a risk of drowning
<input type="checkbox"/> Work involving diving work |
|---|---|

Risk = Consequence & Likelihood			Probability					PPE is the last method of control
			Rare A	Unlikely B	Possible C	Likely D	Almost Certain E	
Consequence	Catastrophic	5	High	High	Extreme	Extreme	Extreme	
	Major	4	Medium	High	High	Extreme	Extreme	
	Moderate	3	Low	Medium	High	Extreme	Extreme	
	Minor	2	Low	Low	Medium	High	Extreme	
	Low	1	Low	Low	Medium	High	High	

Foot Protection	Hearing Protection	High-Vis Clothing	Head Protection	Eye Protection	Face Protection	Hand Protection	Protective Clothing	Respiratory Protection	Sun Protection	Fall Arrest	Low Voltage Rescue Kit	Long Hair & Loose items such as Jewellery removed/tied back



Other PPE (Please List)	
----------------------------	--

Sign-Off Sheet

This Safe Work Method Statement has been developed in consultation with relevant personnel and the Persons Conducting the Business or Undertaking (PCBU). By signing this page, I agree that I have had these SWMS communicated to me and understand their contents. I confirm that I have the relevant certifications to conduct the task described and agree to comply with the control measures and safe work instructions and the use of PPE where required.

Name	Job Description	Signature	Date

Authorised by: Jared Warren

Company Name: Cape York Electrical & Airconditioning

Phone Number: 0428407010

Address: 13 Greenacres Close Whiterock Cairns 4868

Contact: Jared Warren

ABN: 28 791 930 310

Date Created: 03/08/2023

Review Date: 03/08/2024



SAFE WORK METHOD STATEMENT (SWMS)

Page 3 of 9

Authorised by: Jared Warren

Company Name: Cape York Electrical &
Airconditioning

Phone Number: 0428407010

Address: 13 Greenacres Close Whiterock Cairns
4868

Contact: Jared Warren





ABN: 28 791 930 310

Date Created: 03/08/2023

Review Date: 03/08/2024



SAFE WORK METHOD STATEMENT (SWMS)

Task ID	Job Step	Potential Hazard	Initial Risk Rating	Control Measures	Revised Risk Rating	Person(s) Responsible
1.	Check layout and mark out	Personal injury – <ul style="list-style-type: none"> Potential slips, trips and falls Exposure to existing nails 	High Risk 	<ol style="list-style-type: none"> 1. Ensure direct work area is clear and free from any potential trip hazards 2. All tools are to be stored appropriately for easy access and to avoid becoming a trip hazard 3. Work area to be check to ensure all exposed nails are removed 4. Dispose of all loose items and rubbish appropriately 	Medium Risk 	Work crew Supervisor
2.	Confirm cable specification and condition.	Cabling not installed as per client requirements resulting in Personal injury - <ul style="list-style-type: none"> Cuts, strains, abrasions, burns Possible eye injury Dust inhalation (depends on surrounds – these tasks should not cause dust or fumes) Fall from heights 	High Risk 	<ol style="list-style-type: none"> 1. Ensure all latest revision plans, diagrams etc. are on site 2. Ensure plans and diagrams are reviewed by entire work crew prior to work commencing 	Medium Risk 	Work crew Supervisor

Authorised by: Jared Warren

Company Name: Cape York Electrical & Airconditioning

Phone Number: 0428407010

Address: 13 Greenacres Close Whiterock Cairns 4868

Contact: Jared Warren





ABN: 28 791 930 310

Date Created: 03/08/2023

Review Date: 03/08/2024



SAFE WORK METHOD STATEMENT (SWMS)

Task ID	Job Step	Potential Hazard	Initial Risk Rating	Control Measures	Revised Risk Rating	Person(s) Responsible
3.	Confirm cable supports on conduits have been installed to specifications.	<p>Cabling support not installed as per client requirements resulting in</p> <p>Personal injury</p> <ul style="list-style-type: none"> Cuts, strains, abrasions, burns Possible eye injury Dust inhalation (depends on surrounds – these tasks should not cause dust or fumes) Fall from heights 	<p>High Risk</p> 	<ol style="list-style-type: none"> 1. Ensure all latest revision plans, diagrams etc. are on site 2. Ensure plans and diagrams are reviewed by entire work crew prior to work commencing 	<p>Medium Risk</p> 	<p>Work crew</p> <p>Supervisor</p>
4.	Install rollers or other protection	<p>Personal injury –</p> <ul style="list-style-type: none"> Struck by moving objects Cuts, strains, abrasions, burns Possible eye injury Dust inhalation (depends on surrounds – these tasks should not cause dust or fumes) Fall from heights 	<p>High Risk</p> 	<ol style="list-style-type: none"> 1. Ensure correct manual handling techniques are followed. 2. Wear all mandatory PPE and task specific PPE. 3. If dust is present, a dust mask must be used. A dust extraction device will be used in the event dust becomes excessive. 4. Refer to Working at Heights SWMS 	<p>Medium Risk</p> 	<p>Work crew</p> <p>Supervisor</p>

Authorised by: Jared Warren

Company Name: Cape York Electrical & Airconditioning

Phone Number: 0428407010

Address: 13 Greenacres Close Whiterock Cairns 4868

Contact: Jared Warren







ABN: 28 791 930 310

Date Created: 03/08/2023

Review Date: 03/08/2024











SAFE WORK METHOD STATEMENT (SWMS)

Task ID	Job Step	Potential Hazard	Initial Risk Rating	Control Measures	Revised Risk Rating	Person(s) Responsible
5.	Install cable stands	Personal injury – <ul style="list-style-type: none"> Struck by moving objects Cuts, strains, abrasions, burns Possible eye injury Dust inhalation (depends on surrounds – these tasks should not cause dust or fumes) Fall from heights 	High Risk 	<ol style="list-style-type: none"> 1. Ensure correct manual handling techniques are followed. 2. Wear all mandatory PPE and task specific PPE. 3. If dust is present, a dust mask must be used. A dust extraction device will be used in the event dust becomes excessive. 4. Refer to Working at Heights SWMS 	Medium Risk 	Work crew Supervisor
6.	Install cable manually with rope or winch	Personal injury – <ul style="list-style-type: none"> Struck by moving objects Cuts, strains, abrasions, burns Possible eye injury Dust inhalation (depends on surrounds – these tasks should not cause dust or fumes) Fall from heights 	High Risk 	<ol style="list-style-type: none"> 1. Ensure correct manual handling techniques are followed. 2. Wear all mandatory PPE and task specific PPE. 3. If dust is present, a dust mask must be used. A dust extraction device will be used in the event dust becomes excessive. 4. Refer to Working at Heights SWMS 	Medium Risk 	Work crew Supervisor
7.	Cut any excess cable and seal exposed ends	Personal injury due to contact with live parts	High Risk 	<ol style="list-style-type: none"> 1. Obtain work approval and confirm any client site/safety instruction. 2. Check scope of works to confirm whether work be re-scheduled so it may be isolated. 3. Confirm with client that works meet the requirements regarding work on energised equipment and apparatus and the risk of harm would be greater if the circuits were de-energised before work commenced. 4. Confirm that person/s carrying out the work are appropriately qualified, competent, confident and trained for the task. 	Medium Risk 	Work crew Supervisor



SAFE WORK METHOD STATEMENT (SWMS)

Task ID	Job Step	Potential Hazard	Initial Risk Rating	Control Measures	Revised Risk Rating	Person(s) Responsible
8.	Locate/dress cable to fix in position	Personal injury <ul style="list-style-type: none"> Potential slips, trips and falls 	High Risk 	<ol style="list-style-type: none"> Ensure direct work area is clear and free from any potential trip hazards All tools are to be stored appropriately for easy access and to avoid becoming a trip hazard Work area to be checked to ensure all exposed nails are removed Dispose of all loose items and rubbish appropriately 	Medium Risk 	Work crew Supervisor
9.	Test installation	Personal injury due to contact with live parts	High Risk 	<ol style="list-style-type: none"> Obtain work approval and confirm any client site/safety instruction. Check scope of works to confirm whether work be re-scheduled so it may be isolated. Confirm with client that works meet the requirements regarding work on energised equipment and apparatus and the risk of harm would be greater if the circuits were de-energised before work commenced. Confirm that person/s carrying out the work are appropriately qualified, competent, confident and trained for the task. 	Medium Risk 	Work crew Supervisor
10.	Install signs or labels as required	Personal injury - Cuts, strains, abrasions	High Risk 	<ol style="list-style-type: none"> Follow all site rules and procedures. Ensure correct manual handling techniques are followed. Wear all mandatory PPE and task specific PPE. If a hazard is identified in the work area – fix it immediately or if unable to do so, isolate the hazard and inform you supervisor. 	Medium Risk 	Work crew Supervisor
11.	Completion of task	Slips, trips, and falls	High Risk 	<ol style="list-style-type: none"> Leave work area tidy. Store equipment in authorised access area (e.g. locked storage facility) Report any damage/defect to supervision and tag out any faulty equipment. 	Medium Risk 	Work crew Supervisor

Authorised by: Jared Warren

Company Name: Cape York Electrical & Airconditioning

Phone Number: 0428407010


Address: 13 Greenacres Close Whiterock Cairns 4868

Contact: Jared Warren

ABN: 28 791 930 310

Date Created: 03/08/2023

Review Date: 03/08/2024



SAFE WORK METHOD STATEMENT (SWMS)

Referenced Commonwealth - Codes of practice	Referenced Commonwealth – Acts & Regulations
<ul style="list-style-type: none"> Work Health and Safety (First Aid in the Workplace) Code of Practice 2015 Work Health and Safety (Hazardous Manual Tasks) Code of Practice 2015 Work Health and Safety (How to Manage Work Health and Safety Risks) Code of Practice 2015 Work Health and Safety (Labelling of Workplace Hazardous Chemicals) Code of Practice 2015 Work Health and Safety (Managing Electrical Risks in the Workplace) Code of Practice 2015 Work Health and Safety (Managing Noise and Preventing Hearing Loss at Work) Code of Practice 2015 Work Health and Safety (Managing Risks of Hazardous Chemicals in the Workplace) Code of Practice 2015 Work Health and Safety (Managing the Risk of Falls at Workplaces) Code of Practice 2015 Work Health and Safety (Managing the Work Environment and Facilities) Code of Practice 2015 Work Health and Safety (Work Health and Safety Consultation, Co-operation and Co-ordination) Code of Practice 2015 	<ul style="list-style-type: none"> Work Health and Safety (Transitional and Consequential Provisions) Act 2011 Work Health and Safety Act 2011 Work Health and Safety Regulations 2011.
	Referenced Australian Standards
	<ul style="list-style-type: none"> AS/NZS 3000 Wiring Rules AS/NZS 3012:2010 Electrical Installations – Construction and Demolition Sites. AS/NZS 3017 - Electrical installations - verification guidelines AS/NZS 4836 Safe working on or near low voltage electrical installations and equipment
Referenced QLD – Codes of practice	Further Information
<ul style="list-style-type: none"> Electrical safety code of practice 2013 - Managing electrical risks in the workplace First Aid in the Workplace Code of Practice 2014 Hazardous Manual Tasks Code of Practice 2011 How to Manage Work Health and Safety Risks Code of Practice 2011 Labelling of Workplace Hazardous Chemicals Code of Practice 2011 Managing Noise and Preventing Hearing Loss at Work Code of Practice 2011 Managing the Risk of Falls at Workplaces Code of Practice 2018 Managing the Work Environment and Facilities Code of Practice 2011 Work Health and Safety Consultation, Co-operation and Co-ordination Code of Practice 2011 Managing Risks of Hazardous Chemicals in the Workplace Code of Practice 2013 Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice 2011 	<p><u>QLD</u></p> <ul style="list-style-type: none"> OHS Legislation https://www.worksafe.qld.gov.au/laws-and-compliance/workplace-health-and-safety-laws/laws-and-legislation Environmental Legislation https://www.ehp.qld.gov.au/management/env-policy-legislation/ OHS Codes of Practice https://www.worksafe.qld.gov.au/laws-and-compliance/workplace-health-and-safety-laws/laws-and-legislation/codes-of-practice <p><u>Commonwealth</u></p> <ul style="list-style-type: none"> OHS Legislation - http://www.legislation.act.gov.au Environmental Legislation - http://www.legislation.act.gov.au OHS Codes of Practice - http://www.legislation.act.gov.au

Authorised by: Jared Warren

Company Name: Cape York Electrical & Airconditioning

Phone Number: 0428407010


Address: 13 Greenacres Close Whiterock Cairns 4868

Contact: Jared Warren

ABN: 28 791 930 310

Date Created: 03/08/2023

Review Date: 03/08/2024



SAFE WORK METHOD STATEMENT (SWMS)

Page 9 of 9

Authorised by: Jared Warren

Company Name: Cape York Electrical &
Airconditioning

Phone Number: 0428407010

Address: 13 Greenacres Close Whiterock Cairns
4868

Contact: Jared Warren

ABN: 28 791 930 310

Date Created: 03/08/2023

Review Date: 03/08/2024